

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<unattend xmlns="urn:schemas-microsoft-com:unattend">
```

```
  <settings pass="generalize">
```

```
    <component xmlns:wcm="http://schemas.microsoft.com/WMIConfig/2002/State" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
name="Microsoft-Windows-Security-SPP" processorArchitecture="amd64" publicKeyToken="31bf3856ad364e35" language="neutral"
versionScope="nonSxS">
```

```
      <SkipRearm>1</SkipRearm>
```

```
    </component>
```

```
  </settings>
```

```
  <settings pass="specialize">
```

```
    <component xmlns:wcm="http://schemas.microsoft.com/WMIConfig/2002/State" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
name="Microsoft-Windows-Deployment" processorArchitecture="amd64" publicKeyToken="31bf3856ad364e35" language="neutral"
versionScope="nonSxS">
```

```
      <RunSynchronous>
```

```
        <RunSynchronousCommand wcm:action="add">
```

```
          <Order>1</Order>
```

```
          <Path>net user administrator /active:yes</Path>
```

```
        </RunSynchronousCommand>
```

```
      </RunSynchronous>
```

```
    </component>
```

```
<component xmlns:wcm="http://schemas.microsoft.com/WMIConfig/2002/State" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
name="Microsoft-Windows-Shell-Setup" processorArchitecture="amd64" publicKeyToken="31bf3856ad364e35" language="neutral"
versionScope="nonSxS">
```

```
<CopyProfile>true</CopyProfile>
```

```
<TimeZone>Mountain Standard Time</TimeZone>
```

```
<ComputerName>*</ComputerName>
```

```
</component>
```

```
</settings>
```

```
<settings pass="oobeSystem">
```

```
<component xmlns:wcm="http://schemas.microsoft.com/WMIConfig/2002/State" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
name="Microsoft-Windows-International-Core" processorArchitecture="amd64" publicKeyToken="31bf3856ad364e35" language="neutral"
versionScope="nonSxS">
```

```
<InputLocale>en-us</InputLocale>
```

```
<SystemLocale>en-us</SystemLocale>
```

```
<UILanguage>en-us</UILanguage>
```

```
<UserLocale>en-us</UserLocale>
```

```
</component>
```

```
<component xmlns:wcm="http://schemas.microsoft.com/WMIConfig/2002/State" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
name="Microsoft-Windows-Shell-Setup" processorArchitecture="amd64" publicKeyToken="31bf3856ad364e35" language="neutral"
versionScope="nonSxS">
```

```
<AutoLogon>
```

```
<Enabled>true</Enabled>
```

<LogonCount>1</LogonCount>

<Username>Administrator</Username>

</AutoLogon>

<OOBE>

<HideEULAPage>true</HideEULAPage>

<NetworkLocation>Work</NetworkLocation>

<HideLocalAccountScreen>true</HideLocalAccountScreen>

<HideOEMRegistrationScreen>true</HideOEMRegistrationScreen>

<HideOnlineAccountScreens>true</HideOnlineAccountScreens>

<ProtectYourPC>3</ProtectYourPC>

</OOBE>

<UserAccounts>

<LocalAccounts>

<LocalAccount wcm:action="add">

<Description>Local Administrator</Description>

<DisplayName>Administrator</DisplayName>

<Group>Administrators</Group>

<Name>Administrator</Name>

</LocalAccount>

</LocalAccounts>

</UserAccounts>

</component>

</settings>

</unattend>